# AUTHOR INDEX

Antoniadou, S., 283, 295
Aoki, K., 369
Aoki, S., 33
Aubke, F., 9

Bakhshi, A. K., 79, 115
Bechgaard, K., 391
Berges, P., 67

Cader, M. S. R., 9
Campbell, L. D., 321
Cao Yong, 1
Castilho, J. H., 97
Ceotto, G., 97
Chan, H. S. O., 189
Chang Fugui, 1
Chanteloube, I., 159
Chia-Tien Chen, 327
Ciesielski, W., 183
Cousseins, J. C., 23

Daoud, M., 23
Díaz Calleja, R., 67
Djurado, D., 395

Elsenbaumer, R. L., 123

Finkelstein, M., 327
Fischer, J. E., 395
Förner, W., 135
Fu Heng, 1
Futamata, M., 39

Geniès, E. M., 159
Germain, A., 159
Gunsser, W., 67

Hamwi, A., 23
Han, C. C., 123
Hanafusa, T., 401
Hanawa, T., 173, 341
Hart, S. A., 327
Hashimoto, H., 173
Havinga, E. E., 381
Heeger, A. J., 305
Higuchi, S., 39
Hotta, S., 251
Hutchins, G. A., 327

Ikenoue, Y., 305
Imanishi, K., 33
Inoue, M., 199
Inoue, M. B., 199
Issi, J.-P., 245

Jannakoudakis, A. D., 283, 295
Jian Li, 87

Kang, E. T., 189
Karunanithy, S., 9
Klar, G., 67
Kulkarni, V. G., 321
Kulszewicz-Bajer, I., 335
Kuwabata, S., 173

Ladik, J., 79, 115
Lefrant, S., 335
Lerstrup, K., 391
Liegener, C.-M., 79
Lim, Y. K., 189

Ma, J., 395
McRae, E., 245
Maddison, D. S., 47
Marêché, J. F., 245
Mathew, W. R., 321
Meijer, E. W., 381
Mirrazaei, R., 265
Mori, Y., 227
Munro, H. S., 265

Nagareda, K., 401
Navarro, R. E., 199
Neoh, K. G., 189

Olmedo, L., 159

Parker, D., 265
Patil, A. O., 305
Pawlicka, A., 335
Petit, M., 159
Piraux, L., 245
Plenkiewicz, J., 335
Płocharski, J., 109
Proń, A., 335

Qian Minxie, 1
Qibing Pei, 351

Reiss, H., 257
Rettori, C., 97
Rindorf, G., 391
Ross, S. D., 327
Roth, S., 109

Sánchez Martínez, E., 67
Satoh, M., 33
Schiavon, G., 151
Seel, M., 79
Shaojun Dong, 359
Shichiri, T., 271
Shinozaki, K., 369
Sonoda, N., 251
Staring, E. G. J., 381
Suga, M., 251

Takahashi, S., 39
Tan, B. T. G., 189
Tan, K. L., 189
Tanaka, K., 57, 271
Tang Youqi, 1
Tezuka, Y., 369
Theodoridou, E., 283, 295
Theophilou, N., 395
Thorup, N., 391
Toriumi, M., 271
Tsushima, R., 33

Unsworth, J., 47
Uotani, N., 305

van Bolhuis, F., 381

Walmsley, L., 97
Wang, S., 57
Wanqun Wu, 87
Wenbin Zhang, 359
Wudl, F., 305
Wynberg, H., 381

Xiantong Bi, 351

© Elsevier Sequoia/Printed in The Netherlands

Yamabe, T., 57, 271
Yamaguchi, S., 401
Yamasaki, H., 33
Yasuda, Y., 33
Yoneyama, H., 173, 341
Yoshino, K., 33
Yuan Lu, 87
Zhu Minhui, 1
Zinger, B., 199
Zotti, G., 151

# SUBJECT INDEX

Allylbenzyldimethylammonium iodide
formation of complex salt of atypical stoichiometry in reaction of, with 7,7,8,8-tetracyanoquinodimethane, 327
Aluminium
syntheses of polyacetylene by alkyl, and titanate having long alkyl chains, 251
Aniline
electro-oxidative polymerization of, on Pt anodes coated with polyurethane film, 351
Arsenic
doping with $AsF_5$, stability of polyacetylene films during storage and its influence on efficiency of, 183

Carbon fibre electrodes
modified by hemine, electrocatalytic reactions on
electro-oxidation of hydrazine, 295
electroreduction of O, 283
Cathode material
graphite fluorides prepared at room temperature; very good electrochemical behaviour as, in Li non-aqueous electrolyte cell, 23
Chain-end effects
in Su–Schrieffer–Heeger-type models of alternating *trans*-polyacetylene, 135
Conducting polymers
electrochemical studies of self-doped; verification of 'cation-popping' doping mechanism, 305
electrochemistry of quinoid dopants in, 209
protonic acids; generally applicable dopants for, 123
Conductive polymers
characterization of electrochemically-prepared, by *in situ* conductivity measurements, 159
Conductivity
of doped polyacetylene with mechanically-modified morphology, 109
of poly(perinaphthalene) chains, on observed high, 115
Conductivity measurements
characterization of electrochemically-prepared conductive polymers by *in situ*, 159
Copolymers
of pyrrole and *N*-methylpyrrole, XPS studies of, 189

Dielectric relaxation
of 2,3,7,8-tetramethoxychalcogenanthrene–TCNQ complexes, structure and, 67
Doping mechanism
'cation-popping', verification of; electrochemical studies of self-doped conducting polymers, 305

Electrical conductivity
of drawn polythiophene films, 33
Electrical properties
polyaniline, new soluble; synthesis, and solution electronic spectrum, 199
Electrocatalytic reactions
on C fibre electrodes modified by hemine
electro-oxidation of hydrazine, 295
electroreduction of O, 283
Electrochemical behaviour
graphite fluorides prepared at room temperature; very good, as cathode material in Li non-aqueous electrolyte cell, 23
Electrochemical studies
of self-doped conducting polymers; verification of 'cation-popping' doping mechanism, 305
Electrochemistry
of quinoid dopants in conducting polymers, 209
Electrodes
carbon fibre, modified by hemine, electrocatalytic reactions on
electro-oxidation of hydrazine, 295
electroreduction of O, 283

© Elsevier Sequoia/Printed in The Netherlands

polypyrrole-coated transparent, kinetics of oxidation of, by *in situ* linear sweep voltammetry, 369
Electrolyte cell
Li non-aqueous; graphite fluorides prepared at room temperature; very good electrochemical behaviour as cathode material in, 23
Electromagnetic configuration
magnetic field modulation frequency, sample size and, effects on spin resonance spectra of GICs, 97
Electronically conducting thin films
stable redox and, containing $Fe(bpy)_3^{2+}$ bound to 3-substituted poly(thiophenes), 265
Electronic state
of poly(thiophene-isothianaphthene) superlattices, 79
Electronic structures
of substituted derivatives of polythiophene; design of narrow-band-gap polymers, 57
Electro-oxidative polymerization
of aniline on Pt anodes coated with polyurethane film, 351

Fluorides
graphite, prepared at room temperature; very good electrochemical behaviour as cathode material in Li non-aqueous electrolyte cell, 23
Fluorine
doping with $AsF_5$, stability of polyacetylene films during storage and its influence on efficiency of, 183
Fluorosulfuric acid
as solvent, graphite intercalation studies in, 9

Gas sensitivities
of electropolymerized polythiophene films, 173
of polypyrrole films doped chemically in gas phase, 341
Graphite fluorides
prepared at room temperature; very good electrochemical behaviour as cathode material in Li non-aqueous electrolyte cell, 23
Graphite intercalation compounds
magnetic field modulation frequency, sample size and electromagnetic configuration effects on spin resonance spectra of, 97
stage dependence of extra phonon contribution to thermal conductivity of, 245
Graphite intercalation studies
in fluorosulfuric acid as solvent, 9

Hemine
carbon fibre electrodes modified by, electrocatalytic reactions on
electro-oxidation of hydrazine, 295
electroreduction of O, 283
1,2,3,6,7,8-Hexahydro-10,10,11,11-tetracyano-4,9-pyrenoquinodimethane
synthesis of, 401
Hydrazine
electro-oxidation of; electrocatalytic reactions on C fibre electrodes modified by hemine, 283

Iron
stable redox and electronically conducting thin films containing $Fe(bpy)_3^{2+}$ bound to 3-substituted poly(thiophenes), 265
synthesis and properties of highly-conductive linear stacked polymers, $[FePcFI_x]_n$, 39

Kinetics
of oxidation of polypyrrole-coated transparent electrodes by *in situ* linear sweep voltammetry, 369

Lithium
graphite fluorides prepared at room temperature; very good electrochemical behaviour as cathode material in Li non-aqueous electrolyte cell, 23
Localized vibrational modes
and phonon dispersion curves of polyacetylene with charged soliton, 227

Magnetic field modulation frequency
sample size and electromagnetic configuration effects on spin resonance spectra of GICs, 97
*N*-Methylpyrrole
XPS studies of copolymers of pyrrole and, 189
MNDO calculations
of α-terthienyl, X-ray structure and; model for polythiophenes, 381
Molecular mechanics calculation
for helical polyacetylene, 1

Morphological investigation
of polyaniline, 87

Oxidation
of polypyrrole-coated transparent elctrodes by *in situ* linear sweep voltammetry, kinetics of, 369
Oxygen
electroreduction of; electrocatalytic reactions on C fibre electrodes modified by hemine, 295

Phonon contribution
stage dependence of extra, to thermal conductivity of GICs, 245
Phonon dispersion curves
of polyacetylene with charged soliton, localized vibrational modes and, 227
Phosphoric acid
aqueous solution, conducting polythiophene electrochemically polymerized in, 359
Platinum anodes
coated with polyurethane film, electrooxidative polymerization of aniline on, 351
Polarons
spectroelectrochemical determination of, in polypyrrole and polyaniline, 151
Polyacetylene
with charged soliton, localized vibrational modes and phonon dispersion curves of, 227
conductivity of doped, with mechanically-modified morphology, 109
molecular mechanics calculation for helical, 1
structural characterization of new; preferred orientation and coherence length, 395
syntheses of, by alkyl Al and titanate having long alkyl chains, 251
*trans*-Polyacetylene
chain-end effects in Su–Schrieffer–Heeger-type models of alternating, 135
Polyacetylene films
stability of, during storage and its influence on efficiency of doping with $AsF_5$, 183
Polyaniline
morphological investigation of, 87
new soluble; synthesis, electrical properties and solution electronic spectrum, 199
protonic acid doping of, note on theory of, 257
spectroelectrochemical determination of polarons in polypyrrole and, 151
thermal stability of, 321
Poly(3-n-butylthiophene) tetrachloroferrate
preparation, spectroscopic and morphological studies, 335
Polymerization
of pyrrole, theoretical study of, 172
Polymers
conducting
electrochemistry of quinoid dopants in, 209
generally applicable dopants for; protonic acids, 123
conductive, characterization of electrochemically-prepared, by *in situ* conductivity measurements, 159
design of narrow-band-gap; electronic structures of substituted derivatives of polythiophene, 57
$[FePcFl_x]_n$; synthesis and properties of highly-conductive linear stacked, 39
Poly(perinaphthalene) chains
on observed high conductivity of, 115
Polypyrrole
-coated transparent electrodes, kinetics of oxidation of, by *in situ* linear sweep voltammetry, 369
optimization of synthesis conditions of, from aqueous solutions, 47
spectroelectrochemical determination of polarons in, and polyaniline, 151
Polypyrrole films
doped chemically in gas phase, gas sensitivities of, 341
Polythiophene(s)
conducting, electrochemically polymerized in phosphoric acid aqueous solution, 359
electronic structures of substituted derivatives of; design of narrow-band-gap polymers, 57
model for; X-ray structure and MNDO calculations of α-terthienyl, 381
stable redox and electronically conducting thin films containing $Fe(bpy)_3^{2+}$ bound to 3-substituted, 265

Polythiophene films
electrical conductivity of drawn, 33
gas sensitivities of electropolymerized, 173
Poly(thiophene-isothianaphthene)
superlattices, electronic states of, 79
Polyurethane film
Pt anodes coated with, electro-oxidative polymerization of aniline on, 351
Protonic acid(s)
doping of polyaniline, note on theory of, 257
generally applicable dopants for conducting polymers, 123
Pyrrole
polymerization of, theoretical study of, 271
XPS studies of copolymers of, and *N*-methylpyrrole, 189

Quinoid dopants
in conducting polymers, electrochemistry of, 209

Soliton
polyacetylene with charged, localized vibrational modes and phonon dispersion curves of, 227
Solution electronic spectrum
polyaniline, new soluble; synthesis, electrical properties and, 199
Spectroelectrochemical determination
of polarons in polypyrrole and polyaniline, 151
Spectroscopic studies
poly(3-n-butylthiophene) tetrachloroferrate; preparation, morphological and, 335
Spin resonance spectra
of GICs, magnetic field modulation frequency, sample size and electromagnetic configuration effects on, 97
Stability
of polyacetylene films during storage and its influence on efficiency of doping with $AsF_5$, 183
Stage dependence
of extra phonon contribution to thermal conductivity of GICs, 245
Structural characterization
of new polyacetylene; preferred orientation and coherence length, 395
Structure
and dielectric relaxation of 2,3,7,8-tetramethoxychalcogenanthrene–TCNQ complexes, 67
of 12-(tetrathiafulvenyl)-11-dodecenoic acid at 120 K, 391
Su–Schrieffer–Heeger-type models
of alternating *trans*-polyacetylene, chain-end effects in, 135
Syntheses
of polyacetylene by alkyl Al and titanate having long alkyl chains, 251
Synthesis
conditions of polypyrrole from aqueous solutions, optimization of, 47
of 1,2,3,6,7,8-hexahydro-10,10,11,11-tetracyano-4,9-pyrenoquinodimethane, 401
of highly-conductive linear stacked polymers, $[FePcFI_x]_n$, and properties, 39
polyaniline, new soluble; electrical properties and solution electronic spectrum, 199

TCNQ
2,3,7,8-tetramethoxychalcogenanthrene–, complexes, structure and dielectric relaxation of, 67
α-Terthienyl
X-ray structure and MNDO calculations of; model for polythiophenes, 381
7,7,8,8-Tetracyanoquinodimethane
formation of complex salt of atypical stoichiometry in reaction of allylbenzyldimethylammonium iodide with, 327
2,3,7,8-Tetramethoxychalcogenanthrene–TCNQ complexes, structure and dielectric relaxation of, 67
12-(Tetrathiafulvenyl)-11-dodecenoic acid
structure of, at 120 K, 391
Thermal conductivity
of GICs, stage dependence of extra phonon contribution to, 245
Thermal stability
of polyaniline, 321
Titanate
syntheses of polyacetylene by alkyl Al and, having long alkyl chains, 251

Voltammetry
linear sweep, kinetics of oxidation of polypyrrole-coated transparent electrodes by *in situ*, 369

XPS studies
of copolymers of pyrrole and *N*-methylpyrrole, 189
X-ray structure
and MNDO calculations of α-terthienyl; model for polythiophenes, 381